



Preserving our heritage.....

Upgrade our heritage to a higher level of comfort and preserve the existing windows at the same time?

With DaVinci Glas this is possible.

Choose a period to determine your style:


<u>Period</u>	<u>Style</u>
1965-today	Modern
1935-1965	Young Classic
1900-1935	Classic
Before 1900	Authentics



period	type DV	mm	W/m2K	type	application	delivery	LTA	ZTA	Rw	Ra	safety	min.size	max.size
modern	<b>DV1103</b>	3.1	3.7	insulating	classical/modern	2 weeks	83	73	29	26	nvt	80 x 80	900 x 1200
	<b>DV1104</b>	3.8	3.7	insulating	classical/modern	2 weeks	83	73	30	27	P2a	100 x 100	1600 x 1000
	<b>DV1106</b>	5.8	3.7	insulating	classical/modern	2 weeks	82	73	30	28	P2a	200 x 200	1600 x 2000
	<b>DV1233</b>	6.3	3.4	insulating	classical/modern	3 weeks	78	71	32	29	P2a	100 x 100	1600 x 2000
	<b>DV1244</b>	8.5	3.2	insulating+	classical/modern	3 weeks	74	71	34	32	P2a	200 x 200	1600 x 2250
	<b>DV1266</b>	12.5	3.1	insulating+	classical/modern	4 weeks	72	70	35	32	P2a	200 x 300	1600 x 3000
	<b>DV1333</b>	6.2	1.4	insulating XXL	classical/modern	13 weeks	78	67	30	28	nvt	200 x 350	1350 x 2400
	<b>DV1105</b>	3.9	4.1	insulating solar	classical/modern	3 weeks	69	62	29	26	nvt	200 x 200	1000 x 1600
<b>DV1243</b>	7.7	3.3	insulating+ solar	classical/modern	5 weeks	66	60	33	31	P2a	200 x 200	1600 x 2250	
young classics	<b>DV2104</b>	3.8	3.7	insulating	heritage	4 weeks	83	73	30	27	P2a	150 x 240	1200 x 2400
1935 - 1965	<b>DV2106</b>	5.8	3.7	insulating	heritage	4 weeks	82	73	30	28	P2a	200 x 300	1600 x 2600
	<b>DV2233</b>	6.6	3.4	insulating	heritage	3 weeks	78	71	33	31	P2a	100 x 100	1600 x 2000
	<b>DV2243</b>	7.7	3.3	insulating+	heritage	3 weeks	75	71	33	31	P2a	120 x 120	1600 x 2000
	<b>DV2244</b>	8.5	3.2	insulating+ soundproof+	heritage	4 weeks	74	71	37	33	P2a	200 x 200	1600 x 2000
	<b>DV2254</b>	9.4	3.1	insulating+ safety++	heritage	5 weeks	74	71	34	32	P4a	200 x 200	1600 x 2000
	<b>DV2246</b>	10.5	3.1	insulating+ soundproof++	heritage	5 weeks	73	70	38	35	P2a	220 x 220	1600 x 2000
	<b>DV2266</b>	12.5	3.1	insulating+ soundproof+++	heritage	5 weeks	72	69	40	36	P2a	200 x 300	1600 x 2000
	<b>DV2130</b>	6.0	3.8	insulating fire-resistant 30 min.	heritage	5 weeks	76	71	30	28	nvt	200 x 300	1000 x 1500
	<b>DV2160</b>	6.1	3.8	insulating fire-resistant 60 min.	heritage	5 weeks	76	71	30	28	nvt	200 x 300	1000 x 1200
	<b>DV2433</b>	10.0	2.6	insulating++	classical/modern	4 weeks	80	69	30	28	nvt	120 x 120	0.8m2
	<b>DV2444</b>	14.0	2.0	insulating+++	classical/modern	4 weeks	79	69	31	28	nvt	150 x 150	1.2m2
<b>DV2533</b>	10.0	1.9	insulating+++	classical/modern	4 weeks	80	69	30	28	nvt	120 x 120	0.8m2	
<b>DV2544</b>	14.0	1.5	insulating XXL	classical/modern	4 weeks	79	69	31	28	nvt	150 x 150	1.2m2	
classics	<b>DV3223</b>	5.8	3.5	insulating	heritage	4 weeks	79	72	30	28	P2a	120 x 120	1000 x 1200
1900 - 1935	<b>DV3233</b>	6.6	3.4	insulating	heritage	4 weeks	80	72	33	31	P2a	120 x 120	1500 x 1500
	<b>DV3245</b>	8.9	3.2	insulating+ clarity+	heritage	6 weeks	79	71	34	32	P2a	150 x 150	1500 x 2100
	<b>DV3244</b>	9.0	3.2	insulating+ clarity+	heritage	6 weeks	78	71	37	33	P2a	150 x 150	1500 x 2000
	<b>DV3246</b>	10.6	3.1	insulating+ clarity+	heritage	6 weeks	77	70	38	35	P2a	150 x 150	1500 x 2000
	<b>DV3254</b>	9.8	3.1	insulating+ safety++ clarity+	heritage	6 weeks	77	70	34	32	P4a	160 x 160	1500 x 2100
	<b>DV3433</b>	10.0	2.6	insulating++ clarity+	classical/modern	4 weeks	82	69	30	28	nvt	120 x 120	0.8m2
	<b>DV3533</b>	10.0	1.9	insulating+++ clarity+	classical/modern	4 weeks	82	69	30	28	nvt	120 x 120	0.8m2
	<b>DV3633</b>	10.0	1.7	insulating+++ clarity+	classical/modern	4 weeks	82	69	30	28	nvt	120 x 120	0.8m2
	<b>DV3333</b>	10.5	1.3	insulating XXL clarity+	classical/modern	16 weeks	75	66	31	29	nvt	200 x 350	800 x 1200
	<b>DV3243</b>	8.8	3.2	insulating+ patterned	classical/modern	5 weeks	nvt	nvt	34	31	nvt	150 x 150	900 x 1200
	authentics	<b>DV4233</b>	6.7	3.4	insulating clarity+	heritage	4 weeks	79	72	33	31	P2a	120 x 120
voor 1900	<b>DV4244</b>	8.8	3.2	insulating+ clarity+	heritage	5 weeks	78	72	34	32	P2a	150 x 150	1500 x 2100
	<b>DV4245</b>	8.8	3.2	insulating+ soundproof clarity+	heritage	5 weeks	78	72	37	33	P2a	150 x 150	1500 x 2000
	<b>DV4433</b>	10.0	2.6	insulating++ clarity+	classical/modern	4 weeks	82	69	30	28	nvt	120 x 120	0.8m2
	<b>DV4444</b>	12.0	2.5	insulating++ clarity+	classical/modern	4 weeks	81	69	31	28	nvt	150 x 150	1.2m2
	<b>DV4533</b>	10.0	1.9	insulating+++ clarity+	classical/modern	4 weeks	82	69	30	28	nvt	120 x 120	0.8m2
	<b>DV4544</b>	12.0	1.9	insulating+++ clarity+	classical/modern	4 weeks	81	69	31	28	nvt	150 x 150	1.2m2
	<b>DV4223</b>	6.0	3.5	insulating clarity+ blown	heritage	7 weeks	81	73	30	28	nvt	120 x 120	800 x 1000
	<b>DV4333</b>	10.5	1.3	insulating XXL clarity+	heritage	17 weeks	73	61	33	31	P2a	200 x 350	800 x 1000

Performances possible with DaVinci Glass:

- Gauge Up to 3,1 mm
- Heat insulation From 3,8 to 1,3 W/m<sup>2</sup>K
- Soundproof From 28 up to 40 dB
- Safety Up to class P6b
- Fire-resistant Up to 60 minutes
- Heat-resistant SHGC up to 59%






When installing **DaVinci** Glas it is important to us that you receive our full support and our longest guarantees; for this reason we suggest that you use the specially formulated range of DV sealants when installing the **DaVinci** Glas range.

By using the **DaVinci** sealant range you will have peace of mind knowing your building(s) will receive the highest quality assurance with our full guarantee.





Postbus 196  
3370 AD Hardinxveld-Giessendam  
The Netherlands  
T: 0031 184 675897  
M: [info@davinciglas.eu](mailto:info@davinciglas.eu)  
W: [www.davinciglas.eu](http://www.davinciglas.eu)



EU Glass Ltd  
Dave Wyatt  
44 Mulgrave Road  
London  
SE18 5TY  
T: 0208 854 2878  
M: [dave@eeuk.net](mailto:dave@eeuk.net)  
W: [www.euglass.com](http://www.euglass.com)